


Intent: to allow query of current users and resetting of password, but not make any other changes related to the user.

Current form:



Users

User Name

Password

Description

Person

Customer

Supplier

E-Mail

Fax

Password Expiration

Days

Accesses

None

Effective Dates


From

To

Direct Responsibilities Indirect Responsibilities Securing Attributes

Responsibility	Application	Description	Security Group	Effective Dates	
				From	To
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Future form:



Users

User Name

Password

Description

Person

E-Mail

Password Expiration

Days

Accesses

None

Effective Dates


From

To

Indirect Responsibilities


Responsibility	Application	Security Group	Effective Dates	
			From	To
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Create custom function as follows:




Form Functions window showing configuration for FND_FNDSCAUS and ABC_FND_FNDSCAUS_.

Function	Type	Maintenance Mode Support	Context Dependence
FND_FNDSCAUS	Form	None	Responsibility
ABC_FND_FNDSCAUS_	Form	None	Responsibility



Form Functions window showing configuration for FND_FNDSCAUS and ABC_FND_FNDSCAUS_.

Function	Form	Application	Parameters
FND_FNDSCAUS	Define Application User	Application Object Lib	
ABC_FND_FNDSCAUS_	Define Application User	Application Object Lib	



Form Functions window showing configuration for FND_FNDSCAUS and ABC_FND_FNDSCAUS_.

Function	User Function Name	Description
FND_FNDSCAUS	Users	Users Form
ABC_FND_FNDSCAUS_	Users Password Reset Only	Users_Password Reset Only

Navigate to new custom function and personalize as follows:

The screenshot shows the Oracle Forms Personalization window. The 'Help' menu is open, and the path 'Diagnostics' > 'Custom Code' > 'Personalize' is highlighted. The background shows the 'Users' form with fields for 'User Name', 'Password', and 'Description'. There is also a 'Password Expiration' section with radio buttons for 'Days', 'Accesses', and 'None'. Below the form is a table for 'Indirect Responsibilities'.

Responsibility	Application	Group	From	To

First Sequence:

The screenshot shows the 'Condition' tab of the Oracle Forms Personalization window. The 'Function Name' is 'ABC_FND_FNDSCAU_PW' and the 'Form Name' is 'FNDSCAU'. The 'Debug Mode' is set to 'Off'. A table lists two sequences:

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Below the table, the 'Trigger Event' is set to 'WHEN-NEW-RECORD-INSTANCE' and the 'Trigger Object' is 'USER'. The 'Processing Mode' is 'Both'. The 'Context' table is as follows:

Level	Value
Site	

Buttons at the bottom include 'Insert 'Get' Expression...', 'Insert Item Value...', 'Validate', and 'Apply Now'.

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
11	Property		All	<input checked="" type="checkbox"/>
20	Property		All	<input checked="" type="checkbox"/>
30	Property		All	<input checked="" type="checkbox"/>
40	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type: **Item**

Target Object: **USER.USER_NAME**

Property Name: **UPDATE_ALLOWED**

Value: **False**

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
11	Property		All	<input checked="" type="checkbox"/>
20	Property		All	<input checked="" type="checkbox"/>
30	Property		All	<input checked="" type="checkbox"/>
40	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type: **Item**

Target Object: **USER.PASSWORD_LIFESPAN_DAYS**

Property Name: **UPDATE_ALLOWED**

Value: **False**

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
11	Property		All	<input checked="" type="checkbox"/>
20	Property		All	<input checked="" type="checkbox"/>
30	Property		All	<input checked="" type="checkbox"/>
40	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type: **Item**
 Target Object: **USER.EMPLOYEE_NAME**
 Property Name: **ENTERABLE**
 Value: **False**

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
11	Property		All	<input checked="" type="checkbox"/>
20	Property		All	<input checked="" type="checkbox"/>
30	Property		All	<input checked="" type="checkbox"/>
40	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type: **Item**
 Target Object: **USER.EMAIL_ADDRESS**
 Property Name: **ENTERABLE**
 Value: **False**

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Second sequence:

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>
			<input type="checkbox"/>
			<input type="checkbox"/>

Condition Actions

Trigger Event: **WHEN-NEW-FORM-INSTANCE** (You can enter additional event names.)

Trigger Object:

Condition:

Processing Mode: **Not in Enter-Query Mode**

Context

Level	Value
Site	

Buttons: Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>
			<input type="checkbox"/>
			<input type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
10	Property		All	<input checked="" type="checkbox"/>
20	Property		All	<input checked="" type="checkbox"/>
29	Property		All	<input checked="" type="checkbox"/>
30	Property		All	<input checked="" type="checkbox"/>
31	Property		All	<input checked="" type="checkbox"/>
32	Property		All	<input checked="" type="checkbox"/>
35	Property		All	<input checked="" type="checkbox"/>
36	Property		All	<input checked="" type="checkbox"/>
37	Property		All	<input checked="" type="checkbox"/>
38	Property		All	<input checked="" type="checkbox"/>

Buttons: Select By Text...

Object Type: **Tab Page**

Target Object: **REGIONS.RESP_CANVAS**

Property Name: **DISPLAYED**

Value: **False**

Buttons: Get Value

Buttons: Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>
			<input type="checkbox"/>
			<input type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
10	Property		All	<input checked="" type="checkbox"/>
20	Property		All	<input checked="" type="checkbox"/>
29	Property		All	<input checked="" type="checkbox"/>
30	Property		All	<input checked="" type="checkbox"/>
31	Property		All	<input checked="" type="checkbox"/>
32	Property		All	<input checked="" type="checkbox"/>
35	Property		All	<input checked="" type="checkbox"/>
36	Property		All	<input checked="" type="checkbox"/>
37	Property		All	<input checked="" type="checkbox"/>
38	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type: **Tab Page**
 Target Object: **REGIONS.RESP_INDIR_CANVAS**
 Property Name: **DISPLAYED**
 Value: **True**

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>
			<input type="checkbox"/>
			<input type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
10	Property		All	<input checked="" type="checkbox"/>
20	Property		All	<input checked="" type="checkbox"/>
29	Property		All	<input checked="" type="checkbox"/>
30	Property		All	<input checked="" type="checkbox"/>
31	Property		All	<input checked="" type="checkbox"/>
32	Property		All	<input checked="" type="checkbox"/>
35	Property		All	<input checked="" type="checkbox"/>
36	Property		All	<input checked="" type="checkbox"/>
37	Property		All	<input checked="" type="checkbox"/>
38	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type: **Item**
 Target Object: **USER.USER_PASSWORD**
 Property Name: **ENTERABLE**
 Value: **False**

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
10	Property		All	<input checked="" type="checkbox"/>
20	Property		All	<input checked="" type="checkbox"/>
29	Property		All	<input checked="" type="checkbox"/>
30	Property		All	<input checked="" type="checkbox"/>
31	Property		All	<input checked="" type="checkbox"/>
32	Property		All	<input checked="" type="checkbox"/>
35	Property		All	<input checked="" type="checkbox"/>
36	Property		All	<input checked="" type="checkbox"/>
37	Property		All	<input checked="" type="checkbox"/>
38	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type: **Tab Page**
 Target Object: **REGIONS.ATTR_CANVAS**
 Property Name: **DISPLAYED**
 Value: **False**

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
10	Property		All	<input checked="" type="checkbox"/>
20	Property		All	<input checked="" type="checkbox"/>
29	Property		All	<input checked="" type="checkbox"/>
30	Property		All	<input checked="" type="checkbox"/>
31	Property		All	<input checked="" type="checkbox"/>
32	Property		All	<input checked="" type="checkbox"/>
35	Property		All	<input checked="" type="checkbox"/>
36	Property		All	<input checked="" type="checkbox"/>
37	Property		All	<input checked="" type="checkbox"/>
38	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type: **Item**
 Target Object: **USER.USER_NAME**
 Property Name: **INSERT_ALLOWED**
 Value: **False**

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: Form Name: Debug Mode:

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>
			<input type="checkbox"/>
			<input type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
10	Property		All	<input checked="" type="checkbox"/>
20	Property		All	<input checked="" type="checkbox"/>
29	Property		All	<input checked="" type="checkbox"/>
30	Property		All	<input checked="" type="checkbox"/>
31	Property		All	<input checked="" type="checkbox"/>
32	Property		All	<input checked="" type="checkbox"/>
35	Property		All	<input checked="" type="checkbox"/>
36	Property		All	<input checked="" type="checkbox"/>
37	Property		All	<input checked="" type="checkbox"/>
38	Property		All	<input checked="" type="checkbox"/>

Object Type:
 Target Object:
 Property Name:
 Value:

Buttons:

Insert 'Get' Expression...

Form Personalizations (Users_Password Reset Only)

Function Name: Form Name: Debug Mode:

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>
			<input type="checkbox"/>
			<input type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
10	Property		All	<input checked="" type="checkbox"/>
20	Property		All	<input checked="" type="checkbox"/>
29	Property		All	<input checked="" type="checkbox"/>
30	Property		All	<input checked="" type="checkbox"/>
31	Property		All	<input checked="" type="checkbox"/>
32	Property		All	<input checked="" type="checkbox"/>
35	Property		All	<input checked="" type="checkbox"/>
36	Property		All	<input checked="" type="checkbox"/>
37	Property		All	<input checked="" type="checkbox"/>
38	Property		All	<input checked="" type="checkbox"/>

Object Type:
 Target Object:
 Property Name:
 Value:

Buttons:

Insert 'Get' Expression...

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
10	Property		All	<input checked="" type="checkbox"/>
20	Property		All	<input checked="" type="checkbox"/>
29	Property		All	<input checked="" type="checkbox"/>
30	Property		All	<input checked="" type="checkbox"/>
31	Property		All	<input checked="" type="checkbox"/>
32	Property		All	<input checked="" type="checkbox"/>
35	Property		All	<input checked="" type="checkbox"/>
36	Property		All	<input checked="" type="checkbox"/>
37	Property		All	<input checked="" type="checkbox"/>
38	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type: **Item**
 Target Object: **USER.PASSWORD_LIFESPAN_ACCESSES**
 Property Name: **DISPLAYED**
 Value: **False**

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
10	Property		All	<input checked="" type="checkbox"/>
20	Property		All	<input checked="" type="checkbox"/>
29	Property		All	<input checked="" type="checkbox"/>
30	Property		All	<input checked="" type="checkbox"/>
31	Property		All	<input checked="" type="checkbox"/>
32	Property		All	<input checked="" type="checkbox"/>
35	Property		All	<input checked="" type="checkbox"/>
36	Property		All	<input checked="" type="checkbox"/>
37	Property		All	<input checked="" type="checkbox"/>
38	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type: **Item**
 Target Object: **USER.EMAIL_ADDRESS**
 Property Name: **ENTERABLE**
 Value: **False**

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
10	Property		All	<input checked="" type="checkbox"/>
20	Property		All	<input checked="" type="checkbox"/>
29	Property		All	<input checked="" type="checkbox"/>
30	Property		All	<input checked="" type="checkbox"/>
31	Property		All	<input checked="" type="checkbox"/>
32	Property		All	<input checked="" type="checkbox"/>
35	Property		All	<input checked="" type="checkbox"/>
36	Property		All	<input checked="" type="checkbox"/>
37	Property		All	<input checked="" type="checkbox"/>
38	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type: **Item**
 Target Object: **USER.EMAIL_ADDRESS**
 Property Name: **UPDATE_ALLOWED**
 Value: **False**

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
37	Property		All	<input checked="" type="checkbox"/>
38	Property		All	<input checked="" type="checkbox"/>
43	Property		All	<input checked="" type="checkbox"/>
44	Property		All	<input checked="" type="checkbox"/>
45	Property		All	<input checked="" type="checkbox"/>
46	Property		All	<input checked="" type="checkbox"/>
49	Property		All	<input checked="" type="checkbox"/>
50	Property		All	<input checked="" type="checkbox"/>
51	Property		All	<input checked="" type="checkbox"/>
52	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type: **Item**
 Target Object: **USER.EMPLOYEE_NAME**
 Property Name: **INSERT_ALLOWED**
 Value: **False**

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
37	Property		All	<input checked="" type="checkbox"/>
38	Property		All	<input checked="" type="checkbox"/>
43	Property		All	<input checked="" type="checkbox"/>
44	Property		All	<input checked="" type="checkbox"/>
45	Property		All	<input checked="" type="checkbox"/>
46	Property		All	<input checked="" type="checkbox"/>
49	Property		All	<input checked="" type="checkbox"/>
50	Property		All	<input checked="" type="checkbox"/>
51	Property		All	<input checked="" type="checkbox"/>
52	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type: **Item**

Target Object: **USER.EMPLOYEE_NAME**

Property Name: **UPDATE_ALLOWED**

Value: **False**

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
37	Property		All	<input checked="" type="checkbox"/>
38	Property		All	<input checked="" type="checkbox"/>
43	Property		All	<input checked="" type="checkbox"/>
44	Property		All	<input checked="" type="checkbox"/>
45	Property		All	<input checked="" type="checkbox"/>
46	Property		All	<input checked="" type="checkbox"/>
49	Property		All	<input checked="" type="checkbox"/>
50	Property		All	<input checked="" type="checkbox"/>
51	Property		All	<input checked="" type="checkbox"/>
52	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type: **Item**

Target Object: **USER.SUPPLIER_NAME**

Property Name: **DISPLAYED**

Value: **False**

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
37	Property		All	<input checked="" type="checkbox"/>
38	Property		All	<input checked="" type="checkbox"/>
43	Property		All	<input checked="" type="checkbox"/>
44	Property		All	<input checked="" type="checkbox"/>
45	Property		All	<input checked="" type="checkbox"/>
46	Property		All	<input checked="" type="checkbox"/>
49	Property		All	<input checked="" type="checkbox"/>
50	Property		All	<input checked="" type="checkbox"/>
51	Property		All	<input checked="" type="checkbox"/>
52	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type: **Item**

Target Object: **USER.CUSTOMER_NAME**

Property Name: **DISPLAYED**

Value: **False**

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
37	Property		All	<input checked="" type="checkbox"/>
38	Property		All	<input checked="" type="checkbox"/>
43	Property		All	<input checked="" type="checkbox"/>
44	Property		All	<input checked="" type="checkbox"/>
45	Property		All	<input checked="" type="checkbox"/>
46	Property		All	<input checked="" type="checkbox"/>
49	Property		All	<input checked="" type="checkbox"/>
50	Property		All	<input checked="" type="checkbox"/>
51	Property		All	<input checked="" type="checkbox"/>
52	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type: **Item**

Target Object: **USER.START_DATE**

Property Name: **ENTERABLE**

Value: **False**

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: Form Name: Debug Mode:

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
37	Property		All	<input checked="" type="checkbox"/>
38	Property		All	<input checked="" type="checkbox"/>
43	Property		All	<input checked="" type="checkbox"/>
44	Property		All	<input checked="" type="checkbox"/>
45	Property		All	<input checked="" type="checkbox"/>
46	Property		All	<input checked="" type="checkbox"/>
49	Property		All	<input checked="" type="checkbox"/>
50	Property		All	<input checked="" type="checkbox"/>
51	Property		All	<input checked="" type="checkbox"/>
52	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type:
 Target Object:
 Property Name:
 Value:

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: Form Name: Debug Mode:

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
37	Property		All	<input checked="" type="checkbox"/>
38	Property		All	<input checked="" type="checkbox"/>
43	Property		All	<input checked="" type="checkbox"/>
44	Property		All	<input checked="" type="checkbox"/>
45	Property		All	<input checked="" type="checkbox"/>
46	Property		All	<input checked="" type="checkbox"/>
49	Property		All	<input checked="" type="checkbox"/>
50	Property		All	<input checked="" type="checkbox"/>
51	Property		All	<input checked="" type="checkbox"/>
52	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type:
 Target Object:
 Property Name:
 Value:

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
37	Property		All	<input checked="" type="checkbox"/>
38	Property		All	<input checked="" type="checkbox"/>
43	Property		All	<input checked="" type="checkbox"/>
44	Property		All	<input checked="" type="checkbox"/>
45	Property		All	<input checked="" type="checkbox"/>
46	Property		All	<input checked="" type="checkbox"/>
49	Property		All	<input checked="" type="checkbox"/>
50	Property		All	<input checked="" type="checkbox"/>
51	Property		All	<input checked="" type="checkbox"/>
52	Property		All	<input checked="" type="checkbox"/>

Object Type: **Item**
 Target Object: **USER.CUSTOMER_NAME**
 Property Name: **DISPLAYED**
 Value: **False**

Buttons:

Insert 'Get' Expression... Insert Item Value...

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
46	Property		All	<input checked="" type="checkbox"/>
49	Property		All	<input checked="" type="checkbox"/>
50	Property		All	<input checked="" type="checkbox"/>
51	Property		All	<input checked="" type="checkbox"/>
52	Property		All	<input checked="" type="checkbox"/>
61	Property		All	<input checked="" type="checkbox"/>
62	Property		All	<input checked="" type="checkbox"/>
63	Property		All	<input checked="" type="checkbox"/>
64	Property		All	<input checked="" type="checkbox"/>
65	Property		All	<input checked="" type="checkbox"/>

Object Type: **Item**
 Target Object: **USER.DESCRPTION**
 Property Name: **ENTERABLE**
 Value: **False**

Buttons:

Insert 'Get' Expression... Insert Item Value...

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
46	Property		All	<input checked="" type="checkbox"/>
49	Property		All	<input checked="" type="checkbox"/>
50	Property		All	<input checked="" type="checkbox"/>
51	Property		All	<input checked="" type="checkbox"/>
52	Property		All	<input checked="" type="checkbox"/>
61	Property		All	<input checked="" type="checkbox"/>
62	Property		All	<input checked="" type="checkbox"/>
63	Property		All	<input checked="" type="checkbox"/>
64	Property		All	<input checked="" type="checkbox"/>
65	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type: **Radio Button**

Target Object: **USER.PASSWORD_EXPIRATION_TYPE.DAYS**

Property Name: **ENABLED**

Value: **False**

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
46	Property		All	<input checked="" type="checkbox"/>
49	Property		All	<input checked="" type="checkbox"/>
50	Property		All	<input checked="" type="checkbox"/>
51	Property		All	<input checked="" type="checkbox"/>
52	Property		All	<input checked="" type="checkbox"/>
61	Property		All	<input checked="" type="checkbox"/>
62	Property		All	<input checked="" type="checkbox"/>
63	Property		All	<input checked="" type="checkbox"/>
64	Property		All	<input checked="" type="checkbox"/>
65	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type: **Radio Button**

Target Object: **USER.PASSWORD_EXPIRATION_TYPE.ACCESSI**

Property Name: **ENABLED**

Value: **False**

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>
			<input type="checkbox"/>
			<input type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
46	Property		All	<input checked="" type="checkbox"/>
49	Property		All	<input checked="" type="checkbox"/>
50	Property		All	<input checked="" type="checkbox"/>
51	Property		All	<input checked="" type="checkbox"/>
52	Property		All	<input checked="" type="checkbox"/>
61	Property		All	<input checked="" type="checkbox"/>
62	Property		All	<input checked="" type="checkbox"/>
63	Property		All	<input checked="" type="checkbox"/>
64	Property		All	<input checked="" type="checkbox"/>
65	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type: **Radio Button**
 Target Object: **USER.PASSWORD_EXPIRATION_TYPE.NONE**
 Property Name: **ENABLED**
 Value: **False**

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Form Personalizations (Users_Password Reset Only)

Function Name: **ABC_FND_FNDSCAUS_PW** Form Name: **FNDSCAUS** Debug Mode: **Off**

Seq	Description	Level	Enabled
5	Users Password Resets Only_2	Function	<input checked="" type="checkbox"/>
10	Users Password Resets Only_1	Function	<input checked="" type="checkbox"/>
			<input type="checkbox"/>
			<input type="checkbox"/>

Condition Actions

Seq	Type	Description	Language	Enabled
46	Property		All	<input checked="" type="checkbox"/>
49	Property		All	<input checked="" type="checkbox"/>
50	Property		All	<input checked="" type="checkbox"/>
51	Property		All	<input checked="" type="checkbox"/>
52	Property		All	<input checked="" type="checkbox"/>
61	Property		All	<input checked="" type="checkbox"/>
62	Property		All	<input checked="" type="checkbox"/>
63	Property		All	<input checked="" type="checkbox"/>
64	Property		All	<input checked="" type="checkbox"/>
65	Property		All	<input checked="" type="checkbox"/>

Select By Text...

Object Type: **Item**
 Target Object: **USER.PASSWORD_LIFESPAN_DAYS**
 Property Name: **ENTERABLE**
 Value: **False**

Get Value

Insert 'Get' Expression... Insert Item Value... Validate Apply Now

Risks

1. There is the possibility that Oracle could change the underlying form “Define Application User” on which the custom function and this personalization is based. This personalized form should be tested every time a patch is applied, especially those that target FND forms like ATG patches.
2. Use of this form to reset passwords enables the user to reset passwords for ANY user including those with HR access and powerful generic users such as SYSADMIN. Because of these risks, management should approve each user with access to this form and monitor these users accordingly.

Version Control

<u>Updated by</u>	<u>Updated</u>	<u>Update</u>
Jeff Hare	5-Feb-09	Initial publication
Jeff Hare	12-Feb-09	Update Risks to denote risk of resetting password for generic users
Jeff Hare	2014	Changed branding to ERP Risk Advisors